NICOTRA Gebhardt®

PFP (RLE) THE COMPACT LIGHTWEIGHT

) () ()

(0 ×

0

R



REGAL

THE COMPACT LIGHTWEIGHT

THE ULTRA COMPACT (EC) PLUG FAN WITH BACKWARD CURVED BLADES (PFP) COMPLETES THE NICOTRA GEBHARDT LINE OF FANS.

Beyond the existing plug fan range with backward curved hollow profile blades (RLE), Regal has developed an additional range of permanent magnet external-rotor motor (EC) plug fans.

The PFP, with outstanding combination of efficient drive system and aerodynamics, is the ideal solution for medium-pressure applications. The PFP range completes the offer of existing low pressure and high pressure high efficiency fan ranges RLM, RLE and RQM.

There now is a perfect solution from the Nicotra Gebhardt product range for any fan application.

THE NEW IMPELLER IS SPECIFICALLY SELECTED FOR OPTIMUM PERFORMANCE IN THE PFP APPLICATION:


• Lightweight high-efficiency aluminium impeller.

2020

- Optimised for medium pressure applications.
- Reduced losses due to motor influence.
- Low interference loss with fan enclosure.








THE COMPACT LIGHTWEIGHT

THE NEW MOTOR COMBINES A NUMBER OF OUTSTANDING FEATURES:

- Compact external-rotor motor.
- Aerodynamically optimised.
- High-efficiency motor with rare-earth magnets.
- Integrated controller.


PFP RANGE



THE NEW ADVANCED CONTROLLER CHARACTERISTICS:

- All single-phase models comply with EMC emission requirements for EN 61800-3 class C1; three-phase models comply with the emission requirements for class C2; both types comply with immunity requirements for class C3.
- Can operate in PID mode, adjusting fan speed to keep the measurement of a system parameter to the desired value, via 2 analogue inputs, and an external transducer.
- Operation at constant flow-rate can be achieved using the PID mode and a pressure transducer, connected with the pressure probe provided on the inlet nozzle.
- Speed control via external voltage signal.
- ModBus / RS485 serial interface.
- 10V and 24V power supply for external transducers.
- Master & slave mode, for stable operation in parallel.

Size Motor	280	315	355	400	450	500	560	630
1.35 kW / 1 Ph	In production							
2.4 kW / 3 Ph	In production							
4 kW / 3 Ph						Q2/2019		



ALSO AVAILABLE RLE EVO

- External rotor motor (EC)
- Controlled with integrated electronics
- Impeller sizes 250 630 mm
- Max. motor input 3.5 kW

WORLDWIDE LOCATIONS

AUSTRALIA

65 Yale Drive, Epping, VIC 3076 Phone +61 3 9017 5333 Fax +61 3 8401 3969 E-mail info@nicotra.com.au

BELGIUM

Allée des Artisan,18 4130 Esneux Phone +32 (0)42288580 Fax +32 (0)42288580 E-mail info@nicotra.be

CHINA

88Tai'An Road, XinQiao, ShiJi, Panyu Guangzhou 511450 PR CHINA Phone +86 (0)20-2293 5700 Fax +86 (0)20-2293 5701 E-mail sales@nicotra-china.com

FRANCE

Leader's Park Bat A1 3 chemin des Cytises 69340 Francheville Phone +33 (0)4 72 79 01 20 Fax +33 (0)4 72 79 01 21 E-mail ngfrance@nicotra-gebhardt.com

GERMANY

Gebhardtstraße 19-25 74638 Waldenburg Phone +49 (0)7942 101 0 Fax +49 (0)7942 101 170 E-mail info.ng.de@regalbeloit.com

GREAT BRITAIN

Unit D, Rail Mill Way Parkgate Business Park Rotherham South Yorkshire S62 6J0 Phone +044 01709-780760 Fax +044 01709-780762 E-mail sales@nicotra.co.uk

INDIA

 Plot no
 28F & 29, Sector-31,Kasna,

 Greater Noida-201
 308 U.P (India)

 Phone
 +91
 120
 4783400

 Phone
 +91
 22
 65702056 (Mumbai)

 Phone
 +91
 80
 25727830 (Bangalore)

 E-mail
 info@nicotraindia.com

ITALY

Via Modena, 18 24040 Zingonia (BG) Phone +39 035 873 111 Fax +39 035 884 319 E-mail info@nicotra-gebhardt.com

NICOTRA Gebhardt®

Nicotra Gebhardt Germany

Nicotra Gebhardt GmbH Gebhardtstraße 19-25 74638 Waldenburg (Germany) Phone +49 7942 1010 Fax +49 7942 101 170 E-mail info.ng.de@regalbeloit.com Web: www.nicotra-gebhardt.com

APPLICATION CONSIDERATIONS

The proper selection and application of power transmission products and components, including the related area of product safety, is the responsibility of the customer. Operating and performance requirements and potential associated issues will vary appreciably depending upon the use and application of such products and components. The scope of the technical and application information included in this publication is necessarily limited. Unusual operating environments and conditions, lubrication requirements, loading supports, and other factors can materially affect the application and operating results of the products and components and the customer should carefully review its requirements. Any technical advice or review furnished by Regal Beloit America, Inc. and/or its affiiates ("Regal") with respect to the use of products and components is given in good faith and without charge, and Regal assumes no obligation or liability for the advice given, or results obtained, all such advice and review being given and accepted at customer's risk

For a copy of our Standard Terms and Conditions of Sale, please visit http://www.regalbeloit.com (please see link at bottom of page to "Standard Terms and Conditions of Sale"). These terms and conditions of sale, disclaimers and limitations of liability apply to any person who may buy, acquire or use a Regal product referred to herein, including any person who buys from a licensed distributor of these branded products.

Nicotra Gebhardt and Regal are trademarks of Regal Beloit Corporation or one of its affiliated companies. © 2018 Regal Beloit Corporation, All Rights Reserved. MCB18064E • Form# 10236E



Lot 1799, Jalan Balakong Taman Perindustrian Bukit Belimbing 43300 Seri Kembangan Selangor Phone +603 8961-2588 Fax +603 8961-8337 E-mail info_malaysia@nicotra-gebhardt.com

SPAIN

C/ Jamaica, 5 Apdo. Correos 5077 28806 Alcalá de Henares Phone +34 918-846110 Fax +34 918-859450 E-mail info.es@nicotra-gebhardt.com

SINGAPORE

12 Tuas Loop Singapore 637346 Tel: +65 6863 3473 Fax: +65 6863 3476 E-mail info_singapore@nicotra-gebhardt.com

Nicotra Gebhardt Italy

Nicotra Gebhardt S.p.A Via Modena, 18 24040 Zingonia (BG) (Italy) Phone +39 035 873 111 Fax +39 035 884 319 E-mail info@nicotra-gebhardt.com Web: www.nicotra-gebhardt.com SWEDEN Box 237 Kraketorpsgatan 30 43153 Mölndal Phone +46 (0)311302610 E-mail info.se@nicotra-gebhardt.com

THAILAND 6/29 Soi Suksawadi 2, Moo 4, Suksawadi Road, Kwang Jomthong, Khet Jomthong, Bangkok 10150 Phone +662 476-1823-6 Fax +662 476-1827 E-mail sales@nicotra.co.th

United States (USA) Regal Beloit America, Inc. 200, State, Street Beloit, WI 53511 Mobile +1 608 224 9967 E-mail drew.donahu@@regalbeloit.com

NICOTRA-GEBHARDT.COM



