

MAGNAPLUS[®] GENERATORS PRODUCT GUIDE

KVA 5 TO 420 (50 HERTZ) ISO 9001:2008 CERTIFIED

REGAL

MARATHON® GENERATORS

HISTORY & FOUNDATION

Regal Beloit Corporation was established in Wisconsin in 1955 where they set up operations in a Beloit Roller Rink manufacturing cutting tools and gearboxes. Since then its product line has expanded to include motors, generators, drive control systems and power transmission products. It was officially listed on the New York stock exchange in 2005.

Today Regal is a truly global company with presence in Canada, United States of America, Mexico, Brazil, Germany, Italy, India, China, Japan, Thailand, New Zealand, Australia, and other countries including manufacturing sites in 63 locations and 16 design centres around the globe.

Regal Beloit Australia offer a broad product range of products from motors, motor control & drives, gearboxes, brakes and couplings through to winding wire, insulation material, cables, varnishes and air systems to name a few. With strong brands such as Marathon, CMG, Fasco, Durst and Emerson to name a few, Regal Australia can assist with all your electro mechanical, power transmission, speed control and air system needs.

- INDUSTRIAL MOTORS & GENERATORS
- MOTOR STARTERS & CONTROL
- SINGLE PHASE & DC MOTORS
- GEARBOXES
- COUPLINGS, BRAKES & CLUTCHES
- INSULATORS & CONDUCTORS
- AIR SYSTEMS
- DIE CASTING
- REWIND, SERVICE & REPAIR

MAGNAPLUS°

INNOVATION • PERFORMANCE • RELIABILITY

WHAT MAKES THE MARATHON GENERATORS APPROACH UNIQUE?

Proven top performers in every respect, MagnaPLUS® generators offer powerful performance, reliable power generation and easy installation. With a full range of voltage regulator configurations, MagnaPLUS® generators provide application flexibility to meet unique installation requirements. Ruggedly constructed with solid state technology, Marathon's SE350 voltage regulator, included with all standard equipment, is a solid performer.

MARATHON; THE EXPERTS IN YOUR FIELD

As an independent manufacturer with more than fifty years of experience as a leading supplier to the generator market, Marathon is dedicated to designing and manufacturing the highest quality electrical products.

MAGNAPLUS® GENERATORS

MagnaPLUS® offers a field-adaptable, permanent magnet generator, coupled with the PM300 or DVR®2000E voltage regulator, for installations requiring fault current support or for applications involving non-linear loads. These regulators enhance generator performance and offer additional features, meeting the needs of the most difficult applications.

These unique design features make MagnaPLUS® the ideal general purpose generator for standby and prime power markets such as:

- Agricultural
- Construction
- Marine
- Telecommunications
- Commercial
- Rental Markets

Marathon's commitment to long term customer support and an intensive product development program means you get more:

- Design & Application Experience
- Technical Support Staff
- Broad Product Line
- Advanced Testing Facilities



PRODUCT FEATURES

CHOICE

Abound with more than 34 stock models ranging from 5–420 kVA (50 Hz). All three-phase generators are 12-lead econnectable, providing voltage and phase flexibility. For applications requiring pricesensible, dedicated single-phase generators, Marathon stocks 26 models. Standard and optional conduit box designs are available to meet all customer requirements and to ease installation of accessories.

EASY MOUNT SAE ADAPTERS

Provided with every generator, these adapters are designed with easy drive disc access to simplify the mounting to all popular engines. Generator foot mounting location is unaffected by adapter changes. Special adaptations for automotive engines are available.

CLASS H INSULATION SYSTEM

The class H insulation system utilizes an unsaturated polyester varnish for optimal insulation life and superior moisture protection. An epoxy overcoat is added for increased environmental protection. Field windings are wet wound with epoxy and designed to withstand overspeeds of 125%. All windings are 100% copper with class H insulation.

LINKBOARDS

Linkboards are standard to simplify voltage reconnection and support lead termination.

SE350 VOLTAGE REGULATOR

The SE350 voltage regulator is encapsulated for reliable performance in all environments. This SE350 regulator provides 1% regulation, underspeed protection, stability adjustment to optimise transient performance, and EMI filtering to commercial standards.

OPTIMISED ELECTRICAL DESIGN

Optimised Electrical Design with four pole, brushless features, utilizes a 2/3 pitch winding to minimize harmonic distortion. The main rotor, utilizing Marathon's unirotor construction, provides exceptional waveshape and voltage balance. The unirotor construction method incorporates full amortisseur windings facilitating parallel operation and non-linear loads.

ENHANCED VENTILATION

Enhanced Ventilation created by a high efficiency cast aluminum fan and optimized internal air flow patterns, maximizes heat transfer and minimizes hot spot differentials for extended winding life. Durable aluminium alloy fans avoid breakage problems associated with steel weldments or plastic fans.

FULLY GUARDED

Fully Guarded for operator safety and generator protection. No rotating or electrically energized parts are exposed. All openings are covered by louvres or screens.

HEAVY DUTY BEARINGS

These generators bearings are double shielded and pre-lubricated for the life of the bearing. This helps resist contamination and ensures a maximum bearing life.

DESIGN SPECS AND AGENCY APPROVALS

Design Specs and Agency Approvals are important at Marathon. All MagnaPLUS® units meet NEMA MG1-32, BS5000, and IEC 34-1 requirements. MagnaPLUS® generators are also CE Certified, CSA Certified and fully UL Listed. Marine versions are available to meet American Bureau of Shipping, Lloyds, Det Norske Veritas, or Nippon Kaiji Kyokai requirements.



PERFORMANCE DATA

- KVA RATINGS
- 50 HERTZ THREE PHASE 12 LEADS (4)
- 1500 RPM

• 0.8 POWER FACTOR

• 40°C AMBIENT TEMPERATURE

	Bolt-on PMG		kVA Contir	nuous Duty		kVA Standby Duty					
Base Model		Class F 105°C		Class H 125°C		Class F	130°C	Class H 150°C			
	option avail.	415Y/208Y	380Y/190Y	415Y/208Y	380Y/190Y	415Y/208Y	380Y/190Y	415Y/208Y	380Y/190Y		
Standard Models											
281CSL1502	No	12.0	11.3	12.5	12.0	12.5	12.0	13.1	12.5		
282PSL1703 (3)	(2)	12.0	13.1	13.1	13.8	13.8	14.4	14.4	15.0		
282CSL1504	No	16.3	16.3	17.5	17.5	17.5	17.5	18.8	18.8		
282CSL1505	No	21.3	22.5	23.1	25.0	23.1 25.0		25.0	26.3		
283CSL1506	No	23	25	25	26	25 26		28	29		
283CSL1507	No	28	29	30 31		30 31		33	34		
284CSL1508	No	31	36	35 40		35 40		38	43		
284CSL1542	No	36	36 38		40 41		40 41		44		
361CSL1600 (1)	Yes	45	45 44		45	50 45		53 50			
361CSL1601 (1)	Yes	50 54		56 58		56 58		60	63		
361CSL1602 (1)	Yes	60 65		65 70		65 70		73	75		
362CSL1604 (1)	Yes	81 80		90 85		90	85	96	91		
362CSL1606 (1)	Yes	90	94	100	100	100	100	110	110		
363CSL1607 (1)	Yes	113	113	130	130	130	130	133	133		
431CSL6202 (1)	Yes	140	143	150	151	150	155	155	160		
431CSL6204 (1)	Yes	165	166	175	176	176	180	183	185		
431CSL6206 (1)	Yes	185	200	200	211	205	215	211	225		
431CSL6208 (1)	Yes	206	210	225	225	225 230		235	235		
432CSL6210 (1)	Yes	240	256	260 275		265 280		275	290		
432CSL6212 (1)	Yes	270	270	300	300	300 300		310	303		
433CSL6216 (1)	Yes	320	345	350	370	360	376	375	390		
433PSL6220 (1)	Yes	355	375	400	400	400	410	410	423		
Alternate Models											
281PSL1722	(2)	9.0	10.6	9.8	11.3	9.8	11.3	10.5	12.0		
282PSL1704	(2)	12.5	14.4	13.8	16.3	13.8	16.3	15.0	17.5		
282PSL1705	(2)	16.3	18.8	18.8	21.3	18.8	21.25	20.0	22.5		
283PSL1706	(2)	23	25	25	28	25	28	26	29		
283PSL1707	(2)	26	26	30	30	30	30	33	33		
284PSL1708	Yes	29	33	33	35	33	35	35	39		
284PSL1742	Yes	34	35	38	40	38	40	40	43		
285PSL1700	Yes	38	41	43	46	43	46	45	50		
286PSL1701	Yes	50	50	55	55	55	55	58	58		
287PSL1702	Yes	53	54	60	60	60	60	62	62		


^{(1) 361} to 431 PSL (single bearing) or PDL (double bearing) models are the alternate to CSL models and have equivalent performance and dimensions.


⁽²⁾ PMG option available as build-up only.

⁽³⁾ Specialty and two bearing orders utilise these windings in place of 280 frame CSL models.

⁽⁴⁾ All MagnaPlus® models have linkboard as standard.

DIMENSIONS





Frame Size	Α	В	ВА	С	C with PMG	D	Е	2F	Н	Р	Х	Υ	Z
281PSL	356	178	167	405	N/A	349	159	127	203	344	471	174	89
281CSL	356	178	167	415	N/A	349	159	127	203	344	471	174	89
282PSL	356	178	167	470	587	346	159	127	203	344	471	227	87
282CSL	356	178	167	466	N/A	349	159	127	203	344	471	227	87
283PSL	356	178	167	521	638	346	159	127	203	344	471	227	87
283CSL	356	178	167	529	N/A	349	159	127	203	344	471	227	87
284PSL	356	178	167	578	696	346	159	127	203	344	471	227	87
284CSL	356	178	167	580	N/A	349	159	127	203	344	471	227	87
285PSL	356	178	294	635	752	346	159	127	203	344	471	227	87
286PSL	356	178	294	686	803	346	159	127	203	344	471	227	87
287PSL	356	178	294	737	853	346	159	127	203	344	471	227	87
361	406	241	178	634	764	441	178	178	229	462	707	316	89
362	406	241	178	726	856	441	178	178	229	462	707	316	89
363	406	241	267	806	935	441	178	178	229	462	707	316	89
431	545	381	254	861	972	575	229	279	330	634	917	406	68
432	545	381	254	950	1061	575	229	279	330	634	917	406	68
433	545	381	254	1077	1188	575	229	279	330	634	917	406	68

All dimensions are in millimeters.

All dimensions are approximate.

Refer to dimension section of the Generator catalogue for full dimensional data.

HEAD OFFICE

Regal Beloit Australia Pty Ltd ABN 61 122 303 084

19 Corporate Ave (PO Box 2340) Rowville VIC 3178, AUSTRALIA Customer Service: 1300 888 853 +61 3 9237 4050

www.regalaustralia.com.au

STATE OFFICES

VICTORIA

19 Corporate Avenue Rowville VIC 3178 T: 1300 888 853 F: +61 3 9237 4050 **NEW SOUTH WALES**

8 Bushells Place

Wetherill Park NSW 2164

T: 1300 888 853 F: +61 2 8781 3131

QUEENSLAND

7 Mahogany Court Willawong QLD 4110 T: 1300 888 853 F: +61 7 3246 3210

CAIRNS (Service • Repairs • Sales)

2/159-161 Newell Street Bungalow QLD 4870 T: 1300 888 853 F: +61 7 4033 5553

PRESENT IN

MACKAY **SOUTH AUSTRALIA**

WESTERN AUSTRALIA

T: 1300 888 853

NEW ZEALAND

Regal Beloit New Zealand Ltd

AUCKLAND 18 Jomac Place Avondale T: 0800 676 722 F: +64 9 820 8504

PRESENT IN

CHRISTCHURCH ROTORUA T: 0800 676 722

MALAYSIA

Torin Industries SND BHD (MALAYSIA) No. 6536A Jalan Bukit Kemuning Batu 6 Seksyen 34

40470 Shah Alam Selangor T: +60 3 5124 6157

F: +60 3 5121 1467 **SINGAPORE**

Regal Beloit South East Asia Pte. Ltd.

12 Tuas Loop 637346

SINGAPORE T: +65 6863 3473 F: +65 6863 3476 **THAILAND**

FASCO Motors (Thailand) Limited 29/7-8 Bangkruay-Sainoi Road

Bangkrang

Muang Nonthaburi District Nonthaburi 11000

THAILAND T: +66 2447 3300 F: +66 2447 3500

APPLICATION CONSIDERATIONS

The proper selection and application of motors, motor control and components, including the related area of product safety, is the responsibility of the customer. Operating and performance requirements and potential associated issues will vary appreciably depending upon the use and application of such products and components. The scope of the technical and application information depending upon the use and application or such products and components. In escope or the technical and application information included in this publication is necessarily limited. Unusual operating environments and conditions, lubrication requirements, loading supports, and other factors can materially affect the application and operating results of the products and components and the customer should carefully review its requirements. Any technical advice or review furnished by Regal Beloit Australia Pty Ltd and its affiliates with respect to the use of products and components is given in good faith and without charge, and Regal assumes no obligation or liability for the advice given, or results obtained, all such advice and review being given and accepted at customer's risk. For a copy of our Standard Terms and Conditions of Sale, Disclaimers of Warranty and Limitation of Liability, please contact Customer Service at 1300 888 853 or visit www.regalaustralia.com.au. These terms and conditions of sale, disclaimers and limitations of liability apply to any person who may buy, acquire or use a Regal Beloit Australia Pty Ltd product referred to herein, including any person who buys from a licensed distributor of these branded products.

